



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PROBLEMS AND SOLUTIONS.

EDITED BY B. F. FINKEL AND R. P. BAKER.

[Send all Communications to B. F. FINKEL, Springfield, Mo.]

PROBLEMS FOR SOLUTION.

ALGEBRA.

463. Proposed by H. O. HANSON, East Elmhurst, N. Y.

Find the sum of the series

$$\binom{2n}{0} + 2\binom{2n-1}{1} + 2^2\binom{2n-2}{2} + \cdots + 2^n\binom{n}{n},$$

where $\binom{n}{r}$ denotes the coefficient of x^r in the expansion of $(1+x)^n$.

464. Proposed by GEORGE Y. SOSNOW, Newark, New Jersey.Find the general term and the sum of n terms of the series 1, 4, 15, 56, \dots , where

$$U_n = 4U_{n-1} - U_{n-2}.$$

GEOMETRY.

495. Proposed by N. P. PANDYA, Sojitra, India.

A point P moves so that the quadrilateral $PBCD$ is half of a given quadrilateral $ABCD$. Find the locus of P .

496. Proposed by NATHAN ALTSHILLER, University of Colorado.

Find all the lines such that the pairs of tangent planes to a given sphere (ellipsoid) passing through them, shall be orthogonal.

CALCULUS.

413. Proposed by OSCAR S. ADAMS, U. S. Coast and Geodetic Survey, Washington, D. C.

Determine a function of x independent of b such that $\int_b^{b+1} f(x)dx = \frac{1}{b+1}$, the real part of b being positive.

414. Proposed by C. N. SCHMALL, New York City.

Among spherical triangles having the same base and equal altitudes, show that the isosceles triangle has the greatest vertical angle.

Show that this is also true for plane triangles.

MECHANICS.

330. Proposed by PAUL CAPRON, U. S. Naval Academy.

A barker's mill operates under a head of h feet; the linear speed of the orifice is u feet per second; the speed of the water relative to the orifice is v feet per second; and the coefficient of discharge is c , so that $v^2 = c^2(2gh + u^2)$. Given that the work done by the water on the mill is $u(v-u)/g$ foot-pounds per second per pound of water used, find the values of u and v such that the water-power may be most economically used, and find what part of the power is so used.

331. Proposed by CLIFFORD N. MILLS, Brookings, S. Dakota.

A cyclist is riding due west at a speed of 12 miles per hour, and the wind is at the time blowing from the southeast with a speed of $5\frac{1}{2}$ miles per hour. If the cyclist carries a small flag, in what direction will this flag fly? At what speed would the cyclist need to ride if the flag is to fly due north?